# **SAFETY DATA SHEET**



SDS No. : 30102US Revision : 1

: 29/03/2019 Prepared Date

1. Identification

**GHS** product identifier YMC-Triart Prep C8-L, YMC-Triart Prep C8-S, YMC-Triart Prep C18-S

Hybrid organic/inorganic gel chemically bonded with phase ligands Chemical name

(organic materials: up to 30%)

**CAS** number Not available.

Other means of

identification

Product use Packing for Liquid Chromatography.

Supplier's details YMC America. Inc.

> 941 Marcon Blvd., Suite 201 Allentown, PA 18109

U.S.A.

TEL: +1-610-266-8650

e-mail address of person

responsible for this SDS

sales@ymc.co.jp

**Emergency telephone** 

number (with hours of operation)

+1-610-266-8650 (9:00-17:00 EST)

2. Hazards identification

**OSHA/HCS** status While this material is not considered hazardous by the OSHA Hazard Communication

> Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available

for employees and other users of this product.

Classification of the

substance or mixture

Not classified.

**GHS label elements** 

Signal word No signal word.

Hazard statements No known significant effects or critical hazards.

**Precautionary statements** 

Prevention Not applicable. Response Not applicable. Storage Not applicable. Not applicable. Disposal Hazards not otherwise None known.

3. Composition/Information on ingredients

Substance/mixture Substance

Chemical name Hybrid organic/inorganic gel chemically bonded with phase ligands

(organic materials: up to 30%)

Other means of

identification

#### CAS number/other identifiers

**CAS** number Not available

Ingredient name	%	CAS number
Hybrid organic/inorganic gel chemically bonded with phase ligands	100	7631-86-9
(organic materials: up to 30%)		(SiO <sub>2</sub> )

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting

Occupational exposure limits, if available, are listed in Section 8.

### 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove

contact lenses. Get medical attention if irritation occurs.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes.

Get medical attention if symptoms occur.

Ingestion Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

> material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

# Most important symptoms/effects, acute and delayed

# Potential acute health effects

Eye contact Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the eyes.

Inhalation Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

Skin contact No known significant effects or critical hazards. No known significant effects or critical hazards. Ingestion

Over-exposure signs/symptoms

Eye contact Adverse symptoms may include the following:

> irritation redness

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact No specific data. Ingestion No specific data.

# Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments No specific treatment.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training.

# See toxicological information (Section 11)

# 5. Fire-fighting measures

**Extinguishing media** 

Suitable extinguishing

media

Use dry chemical powder. Non-combustible. Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: Do not use water jet.

Specific hazards arising from the chemical

No specific fire or explosion hazard.

Hazardous thermal

Decomposition products may include the following materials:

decomposition products

metal oxide/oxides

Special protective actions

for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be

taken involving any personal risk or without suitable training.

Special protective Fire-fighters should wear appropriate protective equipment and self-contained breathing equipment for fire-fighters apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Non-combustible. Remark

Remark (Explosibility) Not considered to be a product presenting a risk of explosion. When you handle this silica with low electro conductive

materials, the material may highly be charged with electricity.

#### 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing dust. Put on

appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in

Section 8 on suitable and unsuitable materials.

See also the information in "For non-emergency personnel".

**Environmental precautions** 

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

## Methods and materials for containment and cleaning up

Small spill

Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal

Large spill

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# 7. Handling and storage Precautions for safe handling

Protective measures

Advice on general occupational hygiene Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Workers should wash hands and face before eating,

closed and sealed until ready for use.

drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See

Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials(see Section 10) and food and drink. Keep container tightly

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See

Section 10 for incompatible materials before handling or use.

# 8. Exposure controls/personal protection

### **Control parameters**

#### Occupational exposure limits

Ingredient name	Exposure limits	
silicon dioxide	NIOSH REL (United States, 10/2016).	
	TWA: 6 mg/m <sup>3</sup> 10 hours.	

# Appropriate engineering

controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process

enclosures.

local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any

recommended or statutory limits.

# **Environmental exposure**

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially

contaminated clothing.

Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the

workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

If operating conditions cause high dust concentrations to be produced, use dust goggles.

# **Skin protection**

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when

handling

chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures,

consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks

involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being

performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or

certification

Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other

Important aspects of use.

**Recommended:** Ensure an MSHA/NIOSH-approved respirator or equivalent is used.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid. [Powder.] Color : White.

Odor : Odorless. Odor threshold Not applicable.

pН : 5 to 8 [Conc. (% w/w): 10%] Melting point 1726°C (3138.8°F) **Boiling point** : 2230°C (4046°F) Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) : Non-combustible. Lower and upper explosive Not available.

(flammable) limits

Vapor pressure Not available. Vapor density Not available. Relative density Not available.

Density 0.2 to 0.6 g/cm3

Solubility Not available. Solubility in water 120 ppm Partition coefficient: n-octanol/ Not available.

water

Not available. Auto-ignition temperature Decomposition temperature Not available. Not available. Viscosity

**Explosive properties** Not considered to be a product presenting a risk of explosion.

Oxidizing properties No oxidizing ingredients present.

10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this product or its ingredients.

Chemical stability The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data.

Incompatible materials No specific data.

> molten alkalis hydrofluoric acid

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological information

## Information on toxicological effects

## **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
silicon dioxide	LD50 Oral	Rat	>5000 mg/kg	-

Conclusion/Summary

Based on available data, the classification criteria are not met.

Irritation/Corrosion

Conclusion/Summary Not available.

**Sensitization** 

Conclusion/Summary Not available.

Mutagenicity

Conclusion/Summary Not available.

Carcinogenicity

Conclusion/Summary No known significant effects or critical hazards.

Classification

Product/ingredient name	OSHA	IARC	NTP
silicon dioxide		3	-

Reproductive toxicity

Conclusion/Summary Not available.

**Teratogenicity** 

Conclusion/Summary Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

# **Aspiration hazard**

Not available.

Information on the likely Not available.

routes of exposure

Potential acute health effects

Eye contact Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the eyes.

Inhalation Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

Skin contact No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact Adverse symptoms may include the following:

> irritation redness

Inhalation Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact No specific data. Ingestion No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate Not available.

effects

Potential delayed effects Not available.

Long term exposure

Potential immediate Not available.

effects

Potential delayed effects Not available.

Potential chronic health effects

Not available.

Conclusion/Summary

General Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity No known significant effects or critical hazards. Mutagenicity No known significant effects or critical hazards. Teratogenicity No known significant effects or critical hazards. **Developmental effects** No known significant effects or critical hazards. Fertility effects No known significant effects or critical hazards.

**Numerical measures of toxicity** 

Acute toxicity estimates

Not available.

12. Ecological information

**Toxicity** 

Conclusion/Summary Not available.

Persistence and degradability

Conclusion/Summary Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition Not available.

coefficient (Koc)

Mobility Not available.

Other adverse effects No known significant effects or critical hazards.

# 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

	DOT	TDG	Mexico	ADR/RID	IMDG	IATA
	Classification	Classification	Classification			
UN number	Not regulated.					
UN proper	-	-	-	-	-	-
shipping name						
Transport	-	-	-	-	-	-
hazard class(es)						
Label						
Packing group	-	-	-	-	-	-
Environmental	No.	No.	No.	No.	Marine	No.
hazards					Pollutant: No	

Special precautions for user Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that

persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according

to Annex II of MARPOL and

the IBC Code

Not available.

15. Regulatory information

U.S. Federal regulations TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112 Not listed

(b) Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Not listed

Class I Substances

Clean Air Act Section 602 Not listed

Class II Substances

Not listed **DEA List I Chemicals** 

(Precursor Chemicals)

**DEA List II Chemicals** Not listed

(Essential Chemicals)

SARA 302/304

# Composition/information on ingredients

No products were found.

SARA 304 RQ Not applicable.

SARA 311/312

Classification Not applicable.

Composition/information on ingredients

Name	%	Classification
silicon dioxide	100	COMBUSTIBLE DUSTS

State regulations

Massachusetts The following components are listed: DIATOMACEOUS EARTH; AMORPHOUS SILICA

**New York** None of the components are listed. **New Jersey** None of the components are listed. Pennsylvania The following components are listed: SILICA

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

#### International regulations

# Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

#### Inventory list

Australia All components are listed or exempted. Canada All components are listed or exempted. China All components are listed or exempted. Europe All components are listed or exempted.

Japan inventory (ENCS): Japan

All components are listed or exempted.

Japan inventory (ISHL):

All components are listed or exempted. Malaysia All components are listed or exempted. New Zealand All components are listed or exempted. **Philippines** All components are listed or exempted. Republic of Korea All components are listed or exempted. Taiwan All components are listed or exempted. Turkey All components are listed or exempted.

**United States** All components are listed or exempted.

For research and development use only by technically qualified individualy under

section 5(h)(3) of the Toxic Substances Control Act (TSCA).

Restrictions on use: This product may not be used for commercial purposes or in

formulations used for commercial purposes.

# 16. Other information

# National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### Procedure used to derive the classification

- 1000Mile Work to Wolffe Mile Oldermander.					
Classification	Justification				
Not classified					

### **History**

Date of printing 29/03/2019 Date of issue/Date of 29/03/2019

revision

Date of previous issue No previous validation

Version

Key to abbreviations ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor DOT = Department of Transportation

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

RID = The Regulations concerning the International Carriage of Dangerous Goods by

TDG = Transportation of Dangerous Goods

UN = United Nations

References Not available.

Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.